

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 1 of 10

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

SYNONYMS

Manufacturer's Code: D161

PRODUCT USE

Maintenance product.

SUPPLIER

Company: Meguiar's Australia P/L
Address:
35 Slough Business Park
Holker St, Silverwater
NSW, 2128
AUSTRALIA
Telephone: (+61 2) 9737 9422
Telephone: 1800 804 182
Fax: 02 9737 9414

Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE

None

RISK

SAFETY

Avoid exposure - obtain special instructions before use.
In case of contact with eyes, rinse with plenty of water and contact Doctor or
Poisons Information Centre.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
glycerol	56-81-5	20
2-propoxyethanol	2807-30-9	1.3

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 2 of 10

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS ...

water	7732-18-5	>60
-------	-----------	-----

Section 4 - FIRST AID MEASURES

SWALLOWED

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

EYE

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- If pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

- foam
- dry chemical powder

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 3 of 10

Section 5 - FIRE FIGHTING MEASURES ...

- carbon dioxide

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

FIRE/EXPLOSION HAZARD

- Non combustible.
- Not considered to be a significant fire risk.
- Expansion or decomposition on heating may lead to violent rupture of containers.
- Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).
- May emit acrid smoke.

Decomposition may produce toxic fumes of carbon dioxide (CO₂)
other pyrolysis products typical of burning organic material
May emit poisonous fumes.
May emit corrosive fumes.

FIRE INCOMPATIBILITY

None known.

HAZCHEM

None

Personal Protective Equipment

PERSONAL PROTECTION EQUIPMENT
Breathing apparatus.
Chemical splash suit.

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 4 of 10

Section 6 - ACCIDENTAL RELEASE MEASURES ...

- Wipe up.
- Place in a suitable labelled container for waste disposal.

MAJOR SPILLS

Moderate hazard.

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- Stop leak if safe to do so.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Neutralise/decontaminate residue.
- Collect solid residues and seal in labelled drums for disposal.
- Wash area and prevent runoff into drains.
- After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
 - Wear protective clothing when risk of exposure occurs.
 - Use in a well-ventilated area.
 - Avoid contact with moisture.
 - Avoid contact with incompatible materials.
 - When handling, DO NOT eat, drink or smoke.
 - Keep containers securely sealed when not in use.
 - Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.
 - Work clothes should be laundered separately. Launder contaminated clothing before re-use.
 - Use good occupational work practice.
 - Observe manufacturer's storing and handling recommendations.
 - Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
- DO NOT allow clothing wet with material to stay in contact with skin

SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer
- Check all containers are clearly labelled and free from leaks.

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 5 of 10

Section 7 - HANDLING AND STORAGE ...

STORAGE INCOMPATIBILITY

None known

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

No data available for glycerol as (CAS: 56-81-5) / (CAS: 2807-30-9) / (CAS: 7732-18-5)

Not available. Refer to individual constituents.

REPRODUCTIVE HEALTH GUIDELINES

Established occupational exposure limits frequently do not take into consideration reproductive end points that are clearly below the thresholds for other toxic effects. Occupational reproductive guidelines (ORGs) have been suggested as an additional standard. These have been established after a literature search for reproductive no-observed-adverse effect-level (NOAEL) and the lowest-observed-adverse-effect-level (LOAEL). In addition the US EPA's procedures for risk assessment for hazard identification and dose-response assessment as applied by NIOSH were used in the creation of such limits.

Ingredient	ORG	UF	Endpoint	CR	TLV Adeq
2-propoxyethanol	25.6 mg/m ³	100	D	NA	-

These exposure guidelines have been derived from a screening level of risk assessment and should not be construed as unequivocally safe limits. ORGS represent an 8-hour time-weighted average unless specified otherwise.

CR = Cancer Risk/10000; UF = Uncertainty factor:

TLV believed to be adequate to protect reproductive health:

LOD: Limit of detection

Toxic endpoints have also been identified as:

D = Developmental; R = Reproductive; TC = Transplacental carcinogen

Jankovic J., Drake F.: A Screening Method for Occupational Reproductive

American Industrial Hygiene Association Journal 57: 641-649 (1996)

INGREDIENT DATA

GLYCEROL:

TLV TWA: 10 mg/m³ [ACGIH]

PEL Total particulate: 15mg/m³ [OSHA Z1]

PEL Respirable fraction : 5mg/m³ [OSHA Z1]

TLV TWA: 10 mg/m³ (mist)

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 6 of 10

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION ...

ES TWA: 10 mg/m³ (mist)

OES TWA: 10 mg/m³ (mist)

The mist is considered to be a nuisance particulate which appears to have little adverse effect on the lung and does not produce significant organic disease or toxic effects. OSHA concluded that this limit would protect the worker from kidney damage and perhaps, testicular effects.

2-PROPOXYETHANOL:

No exposure limits set by NOHSC or ACGIH

REL TWA: 25 ppm, (skin) [UCAR]

Exposure limits with "skin" notation indicate that vapour and liquid may be absorbed through intact skin. Absorption by skin may readily exceed vapour inhalation exposure. Symptoms for skin absorption are the same as for inhalation. Contact with eyes and mucous membranes may also contribute to overall exposure and may also invalidate the exposure standard.

MAK Value: 20 ppm, 86 mg/m³

Designated H in List of MAK values: Danger of cutaneous absorption.

Absorption of such substances through the skin can pose an incomparably larger danger of toxicity than their inhalation. To avoid health risks when handling such substances, meticulous cleaning of the skin, hair and clothing is imperative.

MAK Category I Peak Limitation: For local irritants Allows excursions of twice the MAK value for 5 minutes at a time, 8 times per shift.

MAK Group C: There is no reason to fear risk of damage to the developing embryo when MAK and BAT values are observed.

MAK values, and categories and groups are those recommended within the Federal Republic of Germany

WATER:

No exposure limits set by NOHSC or ACGIH

PERSONAL PROTECTION

EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them. DO NOT wear contact lenses.

HANDS/FEET

Wear chemical protective gloves, eg. PVC.

Wear safety footwear or safety gumboots, eg. Rubber

OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.
- Eye wash unit.

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 7 of 10

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION ...

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:
"Forsberg Clothing Performance Index".
The effect(s) of the following substance(s) are taken into account in the
computer-generated selection:
Substance

glycerol
water
NATURAL RUBBER C

- * CPI - Chemwatch Performance Index
- A: Best Selection
- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion
- NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -
- * Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Breathing Zone Level ppm (volume)	Maximum Protection Factor	Half-face Respirator	Full-Face Respirator
1000	10	A-AUS P	-
1000	50	-	A-AUS P
5000	50	Airline *	-
5000	100	-	A-2 P
10000	100	-	A-3 P
	100+		Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 8 of 10

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Red liquid with a pleasant odour; mixes with water.

PHYSICAL PROPERTIES

Liquid.
Mixes with water.

Molecular Weight: Not Applicable
Melting Range (°C): Not Available
Solubility in water (g/L): Miscible
pH (1% solution): Not Available
Volatile Component (%vol): Not Available
Relative Vapour Density (air=1): 1.2
Lower Explosive Limit (%): Not Applicable
Autoignition Temp (°C): Not Applicable
State: Liquid

Boiling Range (°C): 100
Specific Gravity (water=1): 1.0
pH (as supplied): 8.5
Vapour Pressure (kPa): 2.3 @ 20C
Evaporation Rate: >1 Ether = 1
Flash Point (°C): Not Applicable
Upper Explosive Limit (%): Not Applicable
Decomposition Temp (°C): Not Available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

(No Oral LD50, any animal species) The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (eg. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

EYE

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 9 of 10

Section 11 - TOXICOLOGICAL INFORMATION ...

conjunctivitis.

SKIN

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

INHALED

Not normally a hazard due to non-volatile nature of product. The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

CHRONIC HEALTH EFFECTS

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Meguiar's D161 - Detailer Silicone Free Dressing

Not available. Refer to individual constituents.
unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

GLYCEROL:

TOXICITY

Oral (human) TDLo: None 1428 mg/kg
Oral (rat) LD50: None 12600 mg/kg
Skin (rabbit): 500 mg/24h mild
Eye (rabbit): 126 mg mild
Eye (rabbit): 500 mg/24h mild

IRRITATION

2-PROPOXYETHANOL:

reduced.

TOXICITY

Oral (rat) LD50: 3089 mg/kg
Inhalation (rat) LC50: 2000 ppm/4 hour
Dermal (rabbit) LD50: 960 mg/kg

IRRITATION

Skin (rabbit): 500 mg/24h -mild
Eye (rabbit): 0.75 mg/24h SEVERE
Eye (rabbit): 100 mg - SEVERE

There have been no specific human studies, but the consistency of the animal experiments emphasizes that human exposure should be dramatically

WATER:

No significant acute toxicological data identified in literature search.

continued...

MEGUIAR'S D161 - DETAILER SILICONE FREE DRESSING

ChemWatch Material Safety Data Sheet
Issue Date: Tue 15-Mar-2005

CHEMWATCH 4827-24
CD 2005/1 Page 10 of 10

Section 12 - ECOLOGICAL INFORMATION

DO NOT discharge into sewer or waterways.

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible.
 - Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
 - Dispose of by: Burial in a licenced land-fill or Incineration in a licenced apparatus (after admixture with suitable combustible material)
 - Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
- Puncture containers to prevent re-use and bury at an authorised landfill.

Section 14 - TRANSPORTATION INFORMATION

Shipping Name:
None
Dangerous Goods Class: None
UN/NA Number: None
ADR Number: None
Packing Group: None
Additional Shipping Information:
International Transport Regulations:
IMO: None

HAZCHEM

None

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE

None

Section 16 - OTHER INFORMATION

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: Tue 15-Mar-2005
Print Date: Wed 16-Mar-2005