

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 1 of 11

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

SYNONYMS

"Manufacturer's Code: G109"

PRODUCT USE

Maintenance product.

SUPPLIER

Company: Meguiar' s Australia Pty Ltd

Address:

35 Slough Business Park

Holker St, Silverwater

NSW, 2128

AUS

Telephone: +61 2 9737 9422

Telephone: 1800 804 182

Fax: +61 2 9737 9414

Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE

None

RISK

None under normal operating conditions.

SAFETY

Avoid exposure - obtain special instructions before use.

Take off immediately all contaminated clothing.

In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
polydimethylsiloxane	63148-62-9	20-40
sodium dioctyl sulfosuccinate	577-11-7	1-5
polyethylene glycol trimethylnonyl ether	60828-78-6	1-5
aloes	8001-97-6	1-5
conditioners proprietary		1-5
polyglycerol oleate	9007-48-1	1-5
water	7732-18-5	65-75

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 2 of 11

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Section 4 - FIRST AID MEASURES

SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

EYE

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- If pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin or hair contact occurs:

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Protheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog - Large fires only.

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 3 of 11

Section 5 - FIRE FIGHTING MEASURES

- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- Use water delivered as a fine spray to control fire and cool adjacent area.
- Avoid spraying water onto liquid pools.
- Do not approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.

FIRE/EXPLOSION HAZARD

- Combustible.
 - Slight fire hazard when exposed to heat or flame.
 - Heating may cause expansion or decomposition leading to violent rupture of containers.
 - On combustion, may emit toxic fumes of carbon monoxide (CO).
 - May emit acid smoke.
 - Mists containing combustible materials may be explosive.
- Other decomposition products include: carbon dioxide (CO₂) and silicon dioxide (SiO₂).

FIRE INCOMPATIBILITY

Avoid contamination with strong oxidising agents as ignition may result.

HAZCHEM: None

Personal Protective Equipment

Chemical splash suit.

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

Slippery when spilt.

Remove all ignition sources.

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable labelled container for waste disposal.

MAJOR SPILLS

Slippery when spilt.

Remove all ignition sources.

Minor hazard.

- Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact by using protective equipment as required.
- Prevent spillage from entering drains or water ways.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.
- Wash area and prevent runoff into drains or waterways.
- If contamination of drains or waterways occurs, advise emergency services.

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 4 of 11

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY RESPONSE PLANNING GUIDELINES (ERPG)

The maximum airborne concentration below which it is believed that nearly all individuals could be exposed for up to one hour WITHOUT experiencing or developing

life-threatening health effects is:

polydimethylsiloxane	250 mg/m ³
water	500 mg/m ³

irreversible or other serious effects or symptoms which could impair an individual's ability to take

protective action is:

polydimethylsiloxane	50 mg/m ³
water	500 mg/m ³

other than mild, transient adverse effects without perceiving a clearly defined odour is:

polydimethylsiloxane	30 mg/m ³
water	500 mg/m ³

The threshold concentration below which most people will experience no appreciable risk of health effects:

polydimethylsiloxane	10 mg/m ³
water	500 mg/m ³

American Industrial Hygiene Association (AIHA)

Ingredients considered according to the following cutoffs

Very Toxic (T+)	>= 0.1%	Toxic (T)	>= 3.0%
R50	>= 0.25%	Corrosive (C)	>= 5.0%
R51	>= 2.5%		
else	>= 10%		

where percentage is percentage of ingredient found in the mixture

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- DO NOT enter confined spaces until atmosphere has been checked.
- Avoid smoking, naked lights or ignition sources.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 5 of 11

Section 7 - HANDLING AND STORAGE

SUITABLE CONTAINER

- Lined metal can, Lined metal pail/ can
- Plastic pail
- Polyliner drum
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

Avoid storage with oxidisers and acids.

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- No smoking, naked lights or ignition sources.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	Peak ppm	Peak mg/m ³	TWA F/CC
Australia Exposure Standards	sodium dioctyl sulfosuccinate (Inspirable dust (Not specified))		10					

The following materials had no OELs on our records

- polydimethylsiloxane: CAS:63148-62-9
- polyethylene glycol trimethylnonyl ether: CAS:60828-78-6
- aloes: CAS:8001-97-6 CAS:67479-27-0
- polyglycerol oleate: CAS:9007-48-1 CAS:9009-31-8
- water: CAS:7732-18-5

MATERIAL DATA

None assigned. Refer to individual constituents.

INGREDIENT DATA

POLYDIMETHYLSILOXANE:

POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER:

WATER:

No exposure limits set by NOHSC or ACGIH.

POLYDIMETHYLSILOXANE:

POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER:

ALOES:

None assigned. Refer to individual constituents.

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 6 of 11

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

POLYGLYCEROL OLEATE:

vegetable oil mists (except castor, cashew nut and similar irritant oils)

TLV TWA: 10 mg/m³

ES TWA: 10 mg/m³

OSHA PEL TWA: 15 mg/m³, total particulate; 5 mg/m³, respirable particulate

The common vegetable oil mists are considered "nuisance" particulates which have little adverse effect on the lung. They do not produce toxic effects or significant organic disease when exposures are kept under reasonable control. Direct instillation of vegetable oils into rabbit lungs produces acute bronchitis whilst high oral doses are laxatives.

WATER:

PERSONAL PROTECTION

EYE

- Safety glasses with side shields; or as required,
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

HANDS/FEET

Wear chemical protective gloves. eg. PVC gloves with barrier cream

Wear safety footwear.

OTHER

- Overalls.
- Eyewash unit.

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Breathing Zone Level ppm (volume)	Maximum Protection Factor	Half- face Respirator	Full- Face Respirator
1000	10	A- AUS P	-
1000	50	-	A- AUS P
5000	50	Airline *	-
5000	100	-	A- 2 P
10000	100	-	A- 3 P
	100+		Airline**

* - Continuous Flow

** - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 7 of 11

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

Use in a well-ventilated area.

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Off- white liquid with a sweet odour; soluble in water.

PHYSICAL PROPERTIES

Liquid.

Mixes with water.

Molecular Weight: Not Applicable

Melting Range (°C): Not Available

Solubility in water (g/L): Miscible

pH (1% solution): Not Available

Volatile Component (%vol): Not Available

Relative Vapour Density (air=1): >1

Lower Explosive Limit (%): Not Available

Autoignition Temp (°C): Not Available

State: Liquid

Boiling Range (°C): 100

Specific Gravity (water=1): 1.00

pH (as supplied): 7.0

Vapour Pressure (kPa): Not Available

Evaporation Rate: <1

Flash Point (°C): >93 (PMCC)

Upper Explosive Limit (%): Not Available

Decomposition Temp (°C): Not Available

Viscosity: Not Available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

Product is considered stable and hazardous polymerisation will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Considered an unlikely route of entry in commercial/industrial environments.

The liquid is discomforting to the gastro-intestinal tract and may be harmful if swallowed in large quantity.

Ingestion may result in nausea, pain, vomiting. Vomit entering the lungs by aspiration may cause potentially lethal chemical pneumonitis.

EYE

The liquid is highly discomforting to the eyes and is capable of causing a mild, temporary redness of the conjunctiva (similar to wind-burn), temporary impairment of

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 8 of 11

Section 11 - TOXICOLOGICAL INFORMATION

vision and/ or other transient eye damage/ ulceration.

The vapour is mildly discomforting to the eyes.

The material may be irritating to the eye, with prolonged contact causing inflammation.

Repeated or prolonged exposure to irritants may produce conjunctivitis.

SKIN

The liquid is mildly discomforting to the skin and is capable of causing skin reactions which may lead to dermatitis.

Toxic effects may result from skin absorption.

The material may accentuate any pre-existing skin condition.

INHALED

Not normally a hazard due to non-volatile nature of product.

The vapour is discomforting to the upper respiratory tract and lungs.

Inhalation of vapour is more likely at higher than normal temperatures.

Acute effects from inhalation of high vapour concentrations may be chest and nasal irritation with coughing, sneezing, headache and even nausea.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are by accidental skin and eye contact and by inhalation of vapours especially at higher temperatures.

Prolonged or continuous skin contact with the liquid may cause defatting with drying, cracking, irritation and dermatitis following.

As with any chemical product, contact with unprotected bare skin; inhalation of vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

TOXICITY AND IRRITATION

Not available. Refer to individual constituents.

POLYDIMETHYLSILOXANE:

TOXICITY

Inhalation (rat) LC50: >1100 mg/m³*

Oral (rat) LD50: >35000 mg/kg*

Dermal (rabbit) LD50: >3000 mg/kg*

The material may be irritating to the eye, with prolonged contact causing inflammation.

Repeated or prolonged exposure to irritants may produce conjunctivitis.

No toxic response noted during 90 day subchronic inhalation toxicity studies

The no observable effect level is 450 mg/m³.

Non-irritating and non-sensitising in human patch test. [Xerox]*

IRRITATION

Eye (rabbit): 100 mg/1h - Mild

SODIUM DIOCTYL SULFOSUCCINATE:

TOXICITY

Oral (rat) LD50: 1900 mg/kg

Intraperitoneal (rat) LD50: 590 mg/kg

Oral (mouse) LD50: 2643 mg/kg

Intravenous (mouse) LD50: 60 mg/kg

Structural changes in blood vessels recorded.

IRRITATION

Eye (rabbit): 0.250 mg - Mild

Eye (rabbit): 1% - SEVERE

Skin (rabbit): 10 mg/24h- Moderate

POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER:

TOXICITY

Oral (rat) LD50: 7460 mg/kg

Dermal (rabbit) LD50: 8480 mg/kg

Oral (rat) LD50: 5650 mg/kg

Dermal (rabbit) LD50: 4780 mg/kg

IRRITATION

Eye (rabbit): 100 mg- SEVERE

Skin (rabbit): 500 (open) - Mild

Eye (rabbit): 5 mg - SEVERE

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 9 of 11

Section 11 - TOXICOLOGICAL INFORMATION

RTECS No.: WZ 6210000

ALOES:

NOTE: Substance has been shown to be mutagenic in at least one assay, or belongs to a family of chemicals producing damage or change to cellular DNA.

POLYGLYCEROL OLEATE:

No significant acute toxicological data identified in literature search.

WATER:

No significant acute toxicological data identified in literature search.

Section 12 - ECOLOGICAL INFORMATION

No data for Meguiar's G109 - Gold Class Rich Leather Spray.

Refer to data for ingredients, which follows:

POLYDIMETHYLSILOXANE:

Fish LC50 (96hr.) (mg/l): 10000

SODIUM DIOCTYL SULFOSUCCINATE:

Octanol/water partition coefficients cannot easily be determined for surfactants because one part of the molecule is hydrophilic and the other part is hydrophobic. Consequently they tend to accumulate at the interface and are not extracted into one or other of the liquid phases. As a result surfactants are expected to transfer slowly, for example, from water into the flesh of fish. During this process, readily biodegradable surfactants are expected to be metabolised rapidly during the process of bioaccumulation. This was emphasised by the OECD Expert Group stating that chemicals are not to be considered to show bioaccumulation potential if they are readily biodegradable.

Several anionic and nonionic surfactants have been investigated to evaluate their potential to bioconcentrate in fish. BCF values (BCF - bioconcentration factor) ranging from 1 to 350 were found. These are absolute maximum values, resulting from the radiolabelling technique used. In all these studies, substantial oxidative metabolism was found resulting in the highest radioactivity in the gall bladder. This indicates liver transformation of the parent compound and biliary excretion of the metabolised compounds, so that "real" bioconcentration is overstated. After correction it can be expected that "real" parent BCF values are one order of magnitude less than those indicated above, i.e. "real" BCF is <100. Therefore the usual data used for classification by EU directives to determine whether a substance is "Dangerous to the Environment" has little bearing on whether the use of the surfactant is environmentally acceptable.

POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER:

DO NOT discharge into sewer or waterways.

Octanol/water partition coefficients cannot easily be determined for surfactants because one part of the molecule is hydrophilic and the other part is hydrophobic. Consequently they tend to accumulate at the interface and are not extracted into one or other of the liquid phases. As a result surfactants are expected to transfer slowly, for example, from water into the flesh of fish. During this process, readily biodegradable surfactants are expected to be metabolised rapidly during the process of bioaccumulation. This was emphasised by the OECD Expert Group stating that chemicals are not to be considered to show bioaccumulation potential if they are readily biodegradable.

Several anionic and nonionic surfactants have been investigated to evaluate their

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 10 of 11

Section 12 - ECOLOGICAL INFORMATION

potential to bioconcentrate in fish. BCF values (BCF - bioconcentration factor) ranging from 1 to 350 were found. These are absolute maximum values, resulting from the radiolabelling technique used. In all these studies, substantial oxidative metabolism was found resulting in the highest radioactivity in the gall bladder. This indicates liver transformation of the parent compound and biliary excretion of the metabolised compounds, so that "real" bioconcentration is overstated. After correction it can be expected that "real" parent BCF values are one order of magnitude less than those indicated above, i.e. "real" BCF is <100. Therefore the usual data used for classification by EU directives to determine whether a substance is "Dangerous to the Environment" has little bearing on whether the use of the surfactant is environmentally acceptable.

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA,
IMDG

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE: None

REGULATIONS

polydimethylsiloxane (CAS: 63148-62-9) is found on the following regulatory lists;

Australia - Australia New Zealand Food Standards Code - Food Additives - Schedule 2
Miscellaneous additives permitted in accordance with GMP in processed foods specified in
Schedule 1

Australia - Australia New Zealand Food Standards Code - Processing Aids - Permitted
antifoam agents

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule
4

IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances

OECD Representative List of High Production Volume (HPV) Chemicals

sodium dioctyl sulfosuccinate (CAS: 577-11-7) is found on the following regulatory lists;

Australia - Australia New Zealand Food Standards Code - Food Additives - Schedule 1
Permitted uses of food additives by food type

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

International Council of Chemical Associations (ICCA) - High Production Volume List

OECD Representative List of High Production Volume (HPV) Chemicals

sodium dioctyl sulfosuccinate (CAS: 53023-94-2) is found on the following regulatory

continued...

MEGUIAR'S G109 - GOLD CLASS RICH LEATHER SPRAY

Chemwatch Material Safety Data Sheet

Issue Date: 15-Nov-2006

NA317EC

CHEMWATCH 4806-33

CD 2006/4 Page 11 of 11

Section 15 - REGULATORY INFORMATION

lists;

Australia Exposure Standards

polyethylene glycol trimethylnonyl ether (CAS: 60828-78-6) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule

6

aloes (CAS: 8001-97-6) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

aloes (CAS: 67479-27-0) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

polyglycerol oleate (CAS: 9007-48-1) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

water (CAS: 7732-18-5) is found on the following regulatory lists;

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule

6

OECD Representative List of High Production Volume (HPV) Chemicals

No data available for polyglycerol oleate as CAS: 9009-31-8.

Section 16 - OTHER INFORMATION

INGREDIENTS WITH MULTIPLE CAS NUMBERS

Ingredient Name	CAS
sodium dioctyl sulfosuccinate	577- 11- 7, 53023- 94- 2
aloes	8001- 97- 6, 67479- 27- 0
polyglycerol oleate	9007- 48- 1, 9009- 31- 8

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 15-Nov-2006

Print Date: 11-Dec-2006